


## ANNEXURE-II

## MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK

## INFRASTRUCTURE DETAILS OF COLLEGE AND HOSPITAL


Sr · N o.	Particulars to be verified	Details on College Website	Adequate/ Inadequate
<b>College</b>			
1	<b>Land details</b> (as per M.S.R.): Total land (Not less than 2 acres), (Owned or leased land), unitary or not, NA of all land, 7/12 extracts of all land, Constructed Area Details sq.ft./Sq.mtr. ( <b>Applicable only to Private Colleges</b> ). (Verify land documents & Government permissions documents are uploaded on College Website.) (No Land/ Construction documents shall be submitted to the University. Only deficit information to be pointed out to the University).	Yes	Adequate
2	Dean office, Professor's Office, Associate Professor's Office, Assistant Professor's Office, Administrative Block as per M.S.R..		
3	<b>All DEPARTMENTS</b> (as per M.S.R.): Human Anatomy, Human Physiology, Electrotherapy & Electrodiagnosis, Kinesiotherapy & Physical Diagnosis, Musculoskeletal Physiotherapy, Neuro Physiotherapy, Cardiovascular & Respiratory Physiotherapy, Community Physiotherapy	Yes	Adequate
4	<b>College Library</b> (as per M.S.R.): Area (1200 Sq.Ft.), Reading Rooms for Students, Staff Reading Room, Room for Books & Journals, Rooms for Librarian and Other Staff; Journal Room, Number of Computers with internet facility with minimum 15 nodes, Photocopier Machine, Total No. of books, Number of Journals: (Titles only), (Multiple volumes / issues of one title should be counted as ONE).	Yes	Adequate (Shared with Parent Institute)
	<b>No. of books added in last year:</b> <b>No. of Journals titles added in last year :</b> [Bills shall be verified by the Committee.]	Yes	Adequate
	<b>Digital Library /e – Library availability</b>	Yes	Adequate
5	<b>Details of all Lecture Theatres with Seating Capacity</b> (as per M.S.R.) along with AV Aids including overhead projector, LCD Projector and a microphone / multi Podium system. There shall be provision for E-class. Lecture halls must have facilities for conversion into E-class/Virtual class for teaching.	Yes	Adequate
6	<b>Conference Room for Faculty:</b> (as per M.S.R.)	Yes	Adequate
7	<b>Mini Auditorium: (15 Sq.Ft./Student)</b> (as per M.S.R.)	Yes	Adequate(Available in Parent Institute)
8	<b>Classrooms: (15 Sq.Ft./Student)</b> (as per M.S.R.)	Yes	Adequate



9	<b>Core Laboratories: (50 Sq.Ft./Student) (as per M.S.R.)</b> <b>Exercise Physiology &amp; Fitness :</b> Computerized Treadmill, Bicycle ergometer with speedometer, Skin-fold caliper, Body composition analyzer, Weighing scale with height measurement, Spirometer, Peak flow meter, Energy Consumption analyzer, Pulse Oxymeter, ECG, Flutter, Inspiratory Muscle Trainer, Oxygen Cylinder, Nebulizer (ultrasonic), Nebulizer (Jet), Portable Suction Machine, B.P. Apparatus & Stethoscope, Shuttle Walk Test Software (Desirable).	Yes	Requirements as per First time affiliation format
10	<b>Physiotherapy Museum: (as per M.S.R.) (Desirable)</b>	Yes	
11	<b>Yoga / Clinical Skill Laboratory: (60 Sq.Ft./Student) (as per M.S.R.)</b> Yoga Mats / Pediatric Mats / Mats for Training Neurotherapeutic Skills, Adjustable Manual Therapy Plinth, Therabands & Theratubes, Swiss balls, Stability Trainers, Sensory Assessment Kit, Balance Assessment & Training Equipment, Stools, Benches, Wheel Chairs, Stairs, Ramps For Training Transfers.	Yes	Adequate
12	<b>University Examination Infrastructure:</b> Strong Room for examination a) (Area- 1200 sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for University vehicle, Guest house facility	Yes	Adequate

Page 1 of 2


13	<b>Residential quarter facility for staff:</b> Teaching, Non-teaching, Paramedical & Nursing staff	NA	
14	<b>Other facilities:</b> Hospital Waste Management Unit, Research Cell, Intercom Network, Playground, P.T Teacher or Instructor, Common Rooms for Boys, Common Room for Girls, Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility.	Yes	Adequate (Available in and shared with in Parent Institute)
15	<b>Hostel Facility:</b> Boys (UG), Girls (UG), Interns, Canteen Facility, Warden/ Rector, Hygiene, etc. [Note: Verify Canteen Facility is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]	Yes	Adequate
<ul style="list-style-type: none"> <li>As per Central Council Norms/ University Norms, above Infrastructure must be available at College and all information with photographs must be uploaded on College Website.</li> <li>If Infrastructure is available, then mark "Adequate" &amp; do not attach any documents. In case of "Inadequate", it must be marked as "Inadequate" with documentary evidence.</li> </ul>			



### HOSPITAL

16	<b>Hospital Details</b>	<b>Details on College Website</b>	<b>Adequate/ Inadequate</b>
	<b>Name of the Hospital :</b> 1. Shaswat group of Hospitals 2. Deoyani Hospital 3. Ranka Hospital	Yes	Adequate
	<b>Bed Strength :</b>		

	1. 160 2. 120 3. 100		
	Number of beds registered as per BNH act: 1. 100 2. 100 3. 100		
17	Clinical Facilities : Parent/ Attached Hospital (Govt/Civil/Private) Must be within 10km. radius of the College		
a.	Total built up area of Hospital (in Sq.Ft.) : ~2,00,000	Yes	
b.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: (Please attach copy of registration certificate)	Yes	
c.	Whether Casualty is available and functional :	Yes	
18	Required Beds (UG & PG) Indoor and Outdoor Facility (as per M.S.R.)		Adequate
19	Ambulances : Owned, Hired		4
	Any other		
	<ul style="list-style-type: none"> <li>· As per Central Council Norms/ University Norms, above Infrastructure must be available at College and all information with photographs must be uploaded on College Website.</li> <li>· If Infrastructure is available, then mark "Adequate" &amp; do not attach any documents. · In case of "Inadequate", it must be marked as "Inadequate" with documentary evidence.</li> </ul>		



Dean/ Principal Stamp & Signature


*Seenu K. Tharaka*

Principal

SURYADATTA EDUCATION FOUNDATION  
Suryadatta Institute of Health Science (SIHS)

**GROUND FLOOR LAYOUT FOR SIHS - COLLEGE OF PHYSIOTHERAPY**

(GROUND FLOOR, BUILDING 2, PRAKASHNAGATE, AT S. NO. 342, BANWALA, PUNE 41)  
 TOTAL COVERED AREA: 18000 SQ.FT. (168000 SQ.FT.) GROUND FLOOR



**SURVADATTA EDUCATION FOUNDATION**  
 Survadatta Institute of Health Science (SIHS)  
**SHIRISH DASNURKAR & ASSOCIATES**  
 35, LAXMI PARK COLONY, NAVI PETH,  
 ABOVE HOTEL SARGAM, PUNE-411030  
 PHONE-24530461/4530462/4530463  
 E-MAIL: shirishdasnurkar@gmail.com/  
 sdasso@bsnl.in  
 Reg. No.: CA/10074



NO.	REVISION	DATE	BY	REASON
1	ISSUED FOR PERMIT	15/05/2018	SHIRISH DASNURKAR	ISSUED FOR PERMIT
2	ISSUED FOR PERMIT	15/05/2018	SHIRISH DASNURKAR	ISSUED FOR PERMIT
3	ISSUED FOR PERMIT	15/05/2018	SHIRISH DASNURKAR	ISSUED FOR PERMIT